

SINGER
253-200,201

Form 20467

(151)

Printed in U. S. A.

LIST OF PARTS



MACHINES
Nos. 253-200 and 253-201

** A TRADE MARK OF

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, it should be oiled at least twice each day by applying "TYPE A" or "TYPE C" OIL (sold only by Singer Sewing Machine Company) to all oil holes marked "OIL" and to all other oiling places, as instructed in Form 20482

Copyright, U. S. A., 1951
by The Singer Manufacturing Co.
All Rights Reserved for all Countries

INDEX

	Page
Accessories.....	23
Foot Lifter Parts.....	23
Knee Lifter Parts.....	24
Lap Seam Fellers.....	24
Machine No. 253-200.....	7
Machine No. 253-201.....	22
Numerical List of Parts.....	27
Thread Unwinder.....	25

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST Column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A-Hardened, Polished, Nickel Plated and Buffed.
- A.A-Buffed and Chromium Plated.
- A.B-Hardened, Polished, Buffed and Chromium Plated.
- A.C-Brown Baking Enamel Finish.
- A.D-Gray Baking Enamel Finish.
- A.E-Hardened, Bright Rumbled and Nickel Plated.
- A.F-Hardened, Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.
- A.G-Alumilite, Plain.
- A.H-Alumilite Dyed.
- A.J-Polished, Nickel Plated and Chromium Plated.
- A.K-Hardened, Polished, Nickel Plated and Chromium Plated.
- A.L-Heat Treated for Toughness.
- B-Polished, Nickel Plated and Buffed.
- C-Hardened only.
- C.R-Hardened and Merlized.
- D-Polished Only.
- E-Soft, Not Polished.
- F-Hardened and Polished.
- F.J-Hardened, Polished and Nickel Plated.
- G-Bright Rumbled and Nickel Plated.
- H-Blued.
- J-Nickel Plated Only.
- K-Hardened and Nickel Plated.
- L-Brass Plated.
- M-Oxidized.
- N-Japanned, Dull.

INSTRUCTIONS FOR ORDERING - Continued

- P-Japanned, Bright.
- P.P-Wrinkle Finish.
- R-Merlized.
- S-Cadmium Plated.
- T-Copper Plated.
- T.A-Hardened, Polished, Copper and Nickel Plated and Buffed.
- T.B-Copper and Nickel Plated and Polished.
- T.J-Copper and Nickel Plated Only.
- T.K-Hardened, Copper and Nickel Plated.
- T.L-Copper and Brass Plated.
- T.M-Copper Plated and Oxidized.
- U-Zinc Plated.
- V-Silver Plated.
- W-Polished and Nickel Plated.
- X-Black Oxide, for Iron and Steel.
- X.C-Hardened and Black Oxide, for Iron and Steel.
- Y-Black Nickel Plated Only.
- Z-Chromium Plated.
- Z.A-Hardened, Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.B-Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.C-Hardened and Chromium Plated.
- Z.D-Polished and Chromium Plated.
- Z.G-Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.
- Z.J-Nickel and Chromium Plated.
- Z.T-Copper and Chromium Plated.

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500, 50001 to 51500 and 140001 to 142000 are Screw Numbers.

1501 to 1800 and 51501 to 51800 are Nut Numbers.

1801 to 2000 and 51801 to 52000 are Roller Numbers.

2001 to 50000 and 52001 to 140000 and 142001 to 190000 are Sewing Machine Parts, 190001 and upward are numbers of Electrical Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.


When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

SINGER Needles should be used
in SINGER Machines.
These Needles and their Containers
are marked with the
Company's Trade-Mark "SIMANCO.***" 1

Needles in Containers marked
"FOR SINGER MACHINES"
are NOT **SINGER** made needles. 2

LIST OF PARTS COMPLETE

FOR



MACHINE No. 253-200

FOR SEWING LIGHT WEIGHT FABRICS. TWO NEEDLES,
TWO LOOPERS. DROP FEED. TWO-THREAD CHAIN STITCH.
ARM AT 11° ANGLE WITH BED. NEEDLE BAR STROKE 1 1/16
INCHES. GAUGES 3/32 INCH TO 3/8 INCH, IN STEPS OF
1/32 INCH. LENGTH OF STITCHES 8 TO 22 TO THE INCH.

SPEED 5500 R.P.M. DEPENDING ON MATERIAL USED
AND OPERATIONS PERFORMED.

No.	Plate	Name
*146501	-----	Arm with 15404 and two 143176.....
	Note:	Due to the accuracy required for gear alignment, Arm cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.
16552	25001	Arm Dowel Pin (2).....
146552	25001	" Screw (front) (2).....
146551	25001	" " Stud (back) (2).....
146502	25001	" Shaft (horizontal).....

PARTS FOR MACHINE No. 253-200

No.	Plate	Name
146503	-----	Arm Shaft (horizontal) 146507 with 146583.....
146669	-----	Arm Shaft (horizontal) 146503 with 146581.....
143008	25001	Arm Shaft (horizontal) Bushing (center).....
140296AL	25001	Arm Shaft (horizontal) Bushing (center) Set Screw.....
143117	25001	Arm Shaft (horizontal) Flanged Bushing (back).....
140296AL	25001	Arm Shaft (horizontal) Flanged Bushing (back) Set Screw.....
146672	25001	Arm Shaft (horizontal) Flanged Bushing (front).....
140331AL	25001	Arm Shaft (horizontal) Flanged Bushing (front) Set Screw.....
140411D	25001	Arm Shaft (horizontal) Screw (back).....
140359E	25001	Arm Shaft (horizontal) Screw Plug (front).....
143236	25001	Arm Shaft (horizontal) Screw Plug (front) Washer (fiber).....
146661	25001	Arm Shaft (upright).....
143015	25001	" " " Bevel Gear (lower) left hand spiral with two 1259AL.....
	Note:	When ordering No. 143015 Class No. of Machine must be stated.
1259AL	25001	Arm Shaft (upright) Bevel Gear (lower) Set Screw (2).....
143015	25001	Arm Shaft (upright) Bevel Gear (upper) left hand spiral with two 1259AL.....
	Note:	When ordering No. 143015 Class No. of Machine must be stated.
1259AL	25001	Arm Shaft (upright) Bevel Gear (upper) Set Screw (2).....
146505	25001	Arm Shaft (upright) Bushing (lower).....
140298AL	25001	Arm Shaft (upright) Bushing (lower) Set Screw.....
143017	25001	Arm Shaft (upright) Bushing (upper).....
140298AL	25001	Arm Shaft (upright) Bushing (upper) Set Screw.....
146506	25002	Arm Top Cover.....
146507	-----	Arm Top Cover with Stitch Regulator Plunger complete, Nos. 64519, 146506, 146509, 146510 and 146511.....
146508	25002	Arm Top Cover Gasket (cork).....
51369R	25002	" " " Screw (4).....
146509	25002	" " " Stitch Regulator Plunger.....
146510	25002	Arm Top Cover Stitch Regulator Plunger Cap.....

PARTS FOR MACHINE No. 253-200

No.	Plate	Name
64519	25002	Arm Top Cover Stitch Regulator Plunger Spring.....
146511	25002	Arm Top Cover Stitch Regulator Plunger Stop Ring.....
146512	25002	Balance Wheel (disc, power) "v" belt groove (outside diameter of belt groove 2.9 in.) with two 51283AL.....
51283AL	25002	Balance Wheel Set Screw (2).....
*146513	-----	Bed with two 948E.....
	Note:	Due to the accuracy required for gear alignment, Bed cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.....
143024	25001	Bed Hole Plug.....
146514	25001	" Leg (back).....
965E	25001	" " " Screw (2).....
146515	25001	" " (front, long).....
146516	25003	" Rotary Shaft.....
146519	-----	" " " 146515 with 146558.....
146517	25003	Bed Rotary Shaft Bevel Gear, right hand spiral with two 1259AL...
1259AL	25003	Bed Rotary Shaft Bevel Gear Set Screw (2).....
146518	25003	Bed Rotary Shaft Bushing (back)...
50554AL	25003	" " " " " " " Set Screw.....
146519	25003	Bed Rotary Shaft Bushing (front)...
50554AL	25003	" " " " " " " Set Screw.....
146520	25003	Bed Rotary Shaft Bushing (intermediate).....
449AL	25003	Bed Rotary Shaft Bushing (intermediate) Set Screw.....
64342	25003	Bed Rotary Shaft Collar with 454AL
454AL	25003	" " " " " " " Set Screw.
146521	25004	" Slide (left).....
4307	25004	" " " " " " " Spring.....
725X	25004	" " " " " " " Screw (2).
146522	25004	Bed Slide (left) complete, Nos. 4307, 146521 and two 725X.....
146687	25004	Bed Slide (right) Body for 146692.
146722	-----	" " " " " " " 146723.
146688	25004	" " " " " " " Latch.....
146689	25004	" " " " " " " Guide.....
1470X	25004	" " " " " " " Screw (2).....
146690	25004	Bed Slide (right) Latch Spring....
146691	25004	" " " " " " " Spring.....
1470X	25004	" " " " " " " Screw (2)
146692	25004	Bed Slide (right) complete, for use with Throat Plates 3/32" to 9/32" gauges, Nos. 146687, 146688, 146689, 146690, 146691 and four 1470X.....

No.	Plate	Name
146543	-----	Feed Rock Shaft complete, Nos. 143050 and 146542.....
146544	-----	Feed Rock Shaft 146543 with 146546 (for Agents only).....
143048	25005	Feed Rock Shaft Cap.....
223E	25005	" " " " Screw (2).....
146545	25001	" " " " Connecting Rod....
140230C	25001	" " " " " " " " " " " "
		Hinge Screw.....
1518J	25001	Feed Rock Shaft Connecting Rod Hinge Screw Nut.....
143050	25005	Feed Rock Shaft Crank with 157R....
157R	25005	" " " " " " " " " " " "
		Screw.....
50191C	25005	Feed Rock Shaft Screw Center (left).....
52097	-----	Feed Rock Shaft Screw Center (left) 50191C with 1513J.....
140278C	25005	Feed Rock Shaft Screw Center (right).....
143138	-----	Feed Rock Shaft Screw Center (right) 140278C with 1513J....
146546	25005	Feed Rock Shaft Screw Center Front Oil Wick.....
143052	25005	Feed Rock Shaft Screw Center Front Oil Wick Holder.....
146547	25005	Feed Rock Shaft Screw Center Front Oil Wick Holder 143052 with 146541 and 146546.....
228E	25005	Feed Rock Shaft Screw Center Front Oil Wick Holder Screw.....
1513J	25005	Feed Rock Shaft Screw Center Nut (2).....
146548	25006	Looper (back) closed eye.....
	Note:	When ordering No. 146548, state gauge required.
1253AL	25003	Looper (back) Set Screw.....
146549	25006	" (front) closed eye.....
	Note:	When ordering No. 146549, state gauge required.
1253AL	25003	Looper (front) Set Screw.....
146550	25003	" Avoiding Eccentric with two 1259AL.....
146553	25003	Looper Avoiding Eccentric Connec- tion (forked) with two 896AL..
896AL	25003	Looper Avoiding Eccentric Connec- tion Clamping Screw (2).....
1259AL	25003	Looper Avoiding Eccentric Set Screw (2).....
146554	25003	Looper Avoiding Eccentric Slide Block.....
146556	25003	Looper Ball Crank.....
146555	25003	" " " " " " " " " " " "
		and two 146561.....
146673	-----	Looper Ball Crank Arm 146555 with 1520J, 146563 and 146649.....

No.	Plate	Name
51320AL	25003	Looper Ball Crank Arm Clamping Screw.....
132790	25003	Looper Ball Crank Connection Ball Sleeve (two pieces).....
132932	25003	Looper Ball Crank Connection Ball Sleeve Guide.....
146557	25003	Looper Ball Crank Connection Nos. two each 896AL, 51715AL, 131327 and 131929.....
146558	-----	Looper Ball Crank Connection 146557 with 132790, 132932 and 146556.....
896AL	25003	Looper Ball Crank Connection Cap (lower) Screw (2).....
131927	25003	Looper Ball Crank Connection Cap (upper) Screw Stud (2).....
51715AL	25003	Looper Ball Crank Connection Cap (upper) Screw Stud Nut (2)....
131928	25003	Looper Ball Crank Connection Cap (upper) Screw Stud Nut Lock Washer (2).....
146559	25003	Looper Ball Crank Hinge Pin.....
448AL	25003	" " " " " " " " " " " "
		Screw (2).....
139070	25003	Looper Ball Crank Pitman Ball Screw Stud (right).....
1520J	25003	Looper Ball Crank Pitman Ball Screw Stud (right) Nut.....
146563	25003	Looper Ball Crank Pitman Ball Screw Stud (right) Nut Locking Plate.....
175E	25003	Looper Ball Crank Pitman End Bear- ing (left) Cap Screw (2).....
146648	25003	Looper Ball Crank Pitman Head (left) with two 175E.....
175E	25003	Looper Ball Crank Pitman End Bear- ing (right) Cap Screw (2).....
146649	-----	Looper Ball Crank Pitman Head (right) 146560 with 139070....
146560	25003	Looper Ball Crank Pitman Head (right) with two 175E.....
146561	-----	Looper Ball Crank Pitman Head (right) Guide Cushion (leather) (2).....
146562	25003	Looper Ball Crank Pitman Rod.....
146674	-----	" " " " " " " " " " " "
		146562 with 1697C and 1698C...
1697C	25003	Looper Ball Crank Pitman Rod Nut (left).....
1698C	25003	Looper Ball Crank Pitman Rod Nut (right).....
146564	-----	Looper Ball Crank Pitman Rod com- plete, Nos. 146641, 146649 and 146674 (For Agents only).....
146565	25003	Looper Holder with 896AL and two 1253AL.....

No.	Plate	Name
146641	-----	Looper Holder 146565 with 146637 and 146648.....
146647	25003	Looper Holder Bushing (eccentric) with 146647.....
146647	25003	Looper Holder Bushing Pin.....
836AL	25003	" " Clamping Screw.....
146568	25003	" " Hinge Pin.....
146569	25003	" " Rock Shaft with 140439E.....
*146570	-----	Looper Holder Rock Shaft Bracket..
Note: Due to the accuracy required for Looper Rock Shaft alignment, Looper Holder Rock Shaft Bracket cannot be supplied separately and can only be sent out as a unit, Arm, Bar and Looper Holder Rock Shaft Bracket assembled.		
143126	-----	Looper Holder Rock Shaft Bracket Oil Pipe Clamping Sleeve Adapter.....
231E	-----	Looper Holder Rock Shaft Bracket Oil Plug Screw.....
14948E	25001	Looper Holder Rock Shaft Bracket Screw (2).....
146571	25003	Looper Holder Rock Shaft Bushing (back).....
449AL	25003	Looper Holder Rock Shaft Bushing (back) Set Screw.....
146572	25003	Looper Holder Rock Shaft Bushing (front).....
448AL	25003	Looper Holder Rock Shaft Bushing (front) Set Screw.....
140439E	25003	Looper Holder Rock Shaft Oil Plug Screw.....
146573	25007	Needle Bar (hollow).....
146574	-----	Needle Bar complete, Nos. 146573 and 146587.....
Note: When ordering No. 146574, state gauge required.		
146575	25007	Needle Bar Bushing (lower).....
1133E	25007	" " " " Set Screw.....
146576	25007	Needle Bar Bushing (upper).....
1133E	25007	" " " " Set Screw.....
140440J	25007	Needle Bar Bushing (upper) Oil Plug Screw.....
146577	25007	Needle Bar Bushing (upper) Oil Wick.....
146706	25007	Needle Bar Bushing (upper) Oil Wick complete, Nos. 146577, 146580 and 146703.....
146703	25007	Needle Bar Bushing (upper) Oil Wick Clamp and Retainer.....
146583	25007	Needle Bar Bushing (upper) Oil Wick Clip.....

No.	Plate	Name
146724	25007	Needle Bar Connecting Link.....
146581	-----	" " " " 146724 with 146582 and 146725.....
146582	25001	Needle Bar Connecting Link Hinge Stud.....
140552AL	25001	Needle Bar Connecting Link Hinge Stud Clamping Screw.....
1036AL	25001	Needle Bar Connecting Link Hinge Stud Position Set Screw.....
146725	25007	Needle Bar Connecting Stud with 175E.....
175E	25007	Needle Bar Connecting Stud Clamping Screw.....
139110	25007	Needle Bar Connecting Stud Oil Pad (wick).....
139111	25007	Needle Bar Connecting Stud Oil Pad Block.....
146583	25001	Needle Bar Crank with 1036AL, 140542AL and 140552AL.....
140542AL	25001	Needle Bar Crank Position Screw...
146665	25008	" " Thread Retainer (lower)
146666	25008	" " " " (upper)
50163XC	25008	" " " " Screw (2).....
54965	25008	Needle Bar Thread Retainer Screw Washer (2).....
146585	25008	Needle Bar Thread Retainer Bracket
146586	25008	Needle Bar Thread Retainer Bracket complete, Nos. 10107, 140546C, 146585, 146665, 146666 and two each 42493, 50163XC and 54965.
402J	25008	Needle Bar Thread Retainer Bracket Screw.....
42493	25008	Needle Bar Thread Retainer Disc (2).....
140546C	25008	Needle Bar Thread Retainer Disc Screw.....
10107	25008	Needle Bar Thread Retainer Disc Spring.....
146587	25007	Needle Clamp with two 1498F.....
Note: When ordering No. 146587, state gauge required.		
146588	25006	Needle Guard, for 3/32 in. to 5/32 in. gauges.....
Note: When ordering No. 146588, state gauge required.		
146644	25006	Needle Guard, for 3/16 in. to 9/32 in. gauges.....
Note: When ordering No. 146644, state gauge required.		
146645	25006	Needle Guard, for 5/16 in. to 3/8 in. gauges.....
Note: When ordering No. 146645, state gauge required.		
146742	25006	Needle Guard Holder.....
146743	25006	" " " Bracket.....

No.	Plate	Name
190J	25006	Needle Guard Holder Bracket Screw.
190J	25006	" " " Screw.....
190J	25006	" " " Screw.....
1498F	25007	" Set Screw (2).....
146675	25009	Oil Flow Body.....
143061	25009	" " " Gasket (2).....
143062	25009	" " " Window.....
143063	25009	" " " Cap.....
50257J	25009	" " " Screw (4).....
143370	25009	" Lead.....
51369E	25009	" " Screw.....
146593	25009	" Pipe, for 146597.....
146594	25010	" " with two each 143124 and 143125, for oiling Red Rotary Shaft Intermediate Bearing....
146595	25010	Oil Pipe with two each 143124 and 143125, for oiling Looper Rock Shaft Hinge Pin.....
146596	25010	Oil Pipe with two each 143124 and 143125, for oiling Thread (under) Take-up Shaft Front Bearing.....
143065	25009	Oil Pipe Clamping Sleeve for 146597.....
143066	25009	Oil Pipe Clamping Sleeve Nut for 146597.....
146597	25009	Oil Pipe complete, from Oil Pump to Arm Shaft (horizontal) Cen- ter Bearing, Nos. 146593 with 143065 and 143066 (For Agents only).....
143124	25010	Oil Pipe Clamping Sleeve (6).....
143125	25010	" " " " Nut (6)...
143126	25009	" " " " Adaptor for 146660 (3).....
143126	-----	Oil Pipe Clamping Sleeve Adaptor (fastened to Red) (2).....
146659	25009	Oil Pump (centrifugal) Body.....
146660	-----	" " " " 146659 with three 143126.....
143071	25009	Oil Pump (centrifugal) Body Posi- tion Pin (2).....
157E	25009	Oil Pump (centrifugal) Body Screw (3).....
146600	25009	Oil Pump (centrifugal) Cover.....
143073	25009	" " " " Impeller...
50123E	25001	" " " " "
		Locking Screw.....
146657	25009	Oil Pump (centrifugal) Screen....
146658	25009	" " " " "
		Frame.....
189E	25009	Oil Pump (centrifugal) Screen Frame Screw (3).....
146744	25008	Oil Removing Wick (head end).....
146745	25008	" " " " " Hold- er Body.....

No.	Plate	Name
146746	-----	Oil Removing Wick (head end) Hold- er Body 146745 with 146744 (for Agents only).....
140553E	25008	Oil Removing Wick (head end) Hold- er Body Hinge Screw.....
146700	25008	Oil Removing Wick (head end) Hold- er Body Stop and Spring Clip..
228E	25008	Oil Removing Wick (head end) Hold- er Body Stop and Spring Clip Screw.....
146698	25008	Oil Removing Wick (head end) Hold- er Body Spring.....
146696	25008	Oil Removing Wick (head end) Hinge Plate and Cover.....
146697	25008	Oil Removing Wick (head end) Hinge Plate and Cover Gasket.....
1364X	25008	Oil Removing Wick (head end) Hinge Plate and Cover Screw (3).....
146747	25008	Oil Removing Wick (head end) Hold- er Body complete, Nos. 228E, 140553E, 146696, 146698, 146700, 146744 and 146745.....
146604	25003	Oil Wick, for oiling Looper Bail Crank Pitman End Bearing (left).....
146605	25003	Oil Wick Holder.....
193E	25003	" " " Tube Bracket Screw
146606	25003	" " " Position Bracket with 140036E.....
140036E	25003	Oil Wick Position Bracket Screw...
139462	25007	Presser Bar.....
146607	25007	" " " Bushing (lower).....
1133E	25007	" " " " " Set Screw.....
146694	25007	Presser Bar Lifting Bracket with 1057AL.....
1057AL	25007	Presser Bar Lifting Bracket Clamp- ing Screw.....
146676	25011	Presser Bar Lifting Bracket Lifter
307X	25011	" " " " " "
		Hinge Screw.....
146608	25011	Presser Bar Lifting Lever.....
146609	25011	" " " " " Exten- sion.....
161X	25011	Presser Bar Lifting Lever Exten- sion Screw (2).....
802X	25011	Presser Bar Lifting Lever Hinge Screw.....
146610	25011	Presser Bar Lifting Lever Spring..
146611	25007	" " " Spring.....
146612	25007	" " " Guide Pin.....
146686	25007	" " " Stop with 190J.....
190J	25007	" " " Clamping Screw...
139135	25006	" Foot Plate.....
26276	25006	" " " Hinge Pin.....
146613	25006	" " " Shank.....

No.	Plate	Name
59537	25011	Tension (needle thread) Spring Bushings (large) (2).....
59538	25011	Tension (needle thread) Spring Bushings (small) (2).....
131696	25011	Tension (needle thread) Thread Guide (2).....
146664	25012	Thread (looper) Uncurler (2).....
146621	25003	" " " Take-up with 465AL
1029J	25003	" " " Screw.....
465AL	25003	" " " Set Screw.
146622	25003	" " " Screw
		Washer (fiber).....
146623	25013	Thread (looper) Take-up Stripper..
146624	25013	" " " " "
		Holder with 906AL.....
146625	25013	Thread (looper) Take-up Stripper Plate.....
146603	-----	Thread (looper) Take-up Stripper Plate 146625 with 237J, 139148, 146623, 146624, 146626, 146628 and two 190J...
237J	25013	Thread (looper) Take-up Stripper Plate Screw.....
146626	25013	Thread (looper) Take-up Stripper Plate Support Plate (2).....
		Note: One No. 146626 is fastened onto Ma- chine Bed.
190E	25013	Thread (looper) Take-up Stripper Plate Support Plate Screw (4).
906AL	25013	Thread (looper) Take-up Stripper Set Screw.....
139148	25013	Thread (looper) Take-up Stripper Staple.....
190J	25013	Thread (looper) Take-up Stripper Staple Screw (2).....
146627	25013	Thread (looper) Take-up Thread Guide (left).....
237J	25013	Thread (looper) Take-up Thread Guide (left) Screw.....
146628	25013	Thread (looper) Take-up Thread Guide (right).....
237J	25013	Thread (looper) Take-up Thread Guide (right) Screw.....
146631	25012	Thread (looper) Thread Tube.....
1628X	25012	" " " " Screw
		Stud Nut.....
146671	25012	Thread (looper) Thread Tube Screw Stud Nut Washer.....
146632	25012	Thread (looper) Thread Tube Thread Guide.....
50027J	25012	Thread (looper) Thread Tube Thread Guide Screw.....
139158	25013	Thread (needle) Thread Guide (left).....
229J	25013	Thread (needle) Thread Guide (left) Screw (2).....

No.	Plate	Name
139158	25013	Thread (needle) Thread Guide (right).....
229J	25013	Thread (needle) Thread Guide (right) Screw (2).....
146629	25013	Thread (needle) Thread Guide Bracket.....
140443J	25013	Thread (needle) Thread Guide Bracket Screw.....
146630	25013	Thread (needle) Thread Guide Bracket Support.....
217J	25013	Thread (needle) Thread Guide Bracket Support (lower) Screw.
237J	25013	Thread (needle) Thread Guide Bracket Support (upper) Screw.
146633	25013	Thread (needle) Eyelet (side of arm).....
176J	25013	Thread (needle) Eyelet (side of arm) Position Screw.....
7071	25013	Thread (needle) Eyelet (side of arm) Position Screw Washer....
724J	25013	Thread (needle) Eyelet (side of arm) Screw.....
146634	25007	Thread (needle) Eyelet Take-up with 202E.....
202E	25007	Thread (needle) Eyelet Take-up Clamping Screw.....
54095	25007	Thread (needle) Eyelet Take-up Plate.....
68164	25007	Thread (needle) Eyelet Take-up Plate Spring.....
1449J	25007	Thread (needle) Eyelet Take-up Plate Spring Screw.....
146635	25007	Thread (needle) Take-up complete, Nos. 1449J, 54095, 68164 and 146634.....
146636	25006	Throat Plate for 3/32" to 3/8" gauges, for 146531.....
146714	25006	Throat Plate for 5/32" to 3/8" gauges, for 146711.....
		Note: When ordering Nos. 146636 or 146714, state gauge required.
691F	25006	Throat Plate Screw (2).....
*15404	-----	Trade Mark.....
143176	-----	" " Rivet (2).....

MACHINE No. 253-201

FOR SEWING MEDIUM WEIGHT FABRICS. TWO NEEDLES,
TWO LOOPERS. DROP FEED. TWO-THREAD CHAIN STITCH.
ARM AT 11° ANGLE WITH BED. NEEDLE BAR STROKE 1 3/16
INCHES. GAUGES 3/32 INCH TO 3/8 INCH, IN STEPS OF
1/32 INCH. LENGTH OF STITCHES 6 TO 22 TO THE INCH.
SPEED 5200 R. P. M. DEPENDING ON MATERIAL USED
AND OPERATIONS PERFORMED.

Note: This machine is the same as the No.
253-200 Machine, with the following
exceptions:


No.	Plate	Name
146651	-----	Arm Shaft (horizontal) 146502 with 146654, in place of 146503....
146670	-----	Arm Shaft (horizontal) 146651 with 146581, in place of 146669....
146750	-----	Combination of Feed and Stitch Regulator Parts, Nos. 143087, 143134, 143293, 146532, 146537, 146545 and 146749, in place of 146652.....
140566AL	25014	Feed Eccentric Stop Screw (6 stitch).....
Note: No. 140566AL is regularly furnished with this Machine.		
146748	25014	Feed Lifting Eccentric and Arm Shaft (horizontal) Bevel Gear, right hand spiral, with 1259AL, 140333AL and 143088, in place of 146653.....
146654	25014	Needle Bar Crank with 1036AL, 140542AL and 140552AL, in place of 146583.....
146749	-----	Set of Mated Gears for Upper Shaft Nos. 143015 and 146748, in place of 146656.....

ACCESSORIES


No.	Plate	Name
146637	25015	Machine Base and Oil Reservoir....
146638	25015	" " " " " "
		146637 with 146639, 146693, 146695 and two 146640 (for Agents only).....
146639	25015	Machine Base and Oil Reservoir Gasket (felt).....
146693	25015	Machine Base and Oil Reservoir Oil Return Wick.....
146695	25015	Machine Base and Oil Reservoir Oil Return Wick Position Pad (felt).....
12351	25016	Machine Hinge Connection (2).....
143303	25016	" Cushion (felt) (4).....
146640	25015	" Pad (felt) (2).....
41400	25016	" Rest Pin (wood).....
120344	25016	Oil with 120345.....
120345	25016	" Spout.....
121741	25016	One quart Can of Light Grade Stainless Oil.....
120440	25016	Screw Driver.....
121108	25016	" Driver.....
120341	25016	Tweezers (curved).....
8908	25016	Wrench.....
23535	25016	Wrench.....
42850	25016	Wrench.....
146057	25016	" (socket) for 140552.....
150855	25016	" (socket).....

FOOT LIFTER PARTS


No.	Plate	Name
6439	-----	Chain, 36 in. to 45 in., with 56864 and 56865.....
Note: When ordering No. 6439, state length required.		
4879	25017	Chain Connecting Link.....
56864	-----	" Hook (large).....
56865	-----	" " (small).....
126249	25017	Treadle.....
4882	25017	" Shaft.....
126250	25017	" " Spring.....
150451	25017	" " Stand.....




25004 - 1/2




25005 - 1/3




25006 - 1/2




25007 - 1/2




25008 - 2/3




25009 - 1/2




25010 - 1/2




25011 - 1/2




25012 - 1/2



25013 - 1/2




25014 - 1/3




253 - 201


25015 - 1/3




25016 - 1/2





25017 - 1/4



25018 - 1/6





25019 - 1/2




160588



160622



25020 - 1/2



11/32, 3/8