

SINGER


95K40,K41,K60

Form K5642
(Supersedes K4950)


ILLUSTRATED LIST OF PARTS



FOR



Nos. 95K40, 95K41 and 95K60
Machines







THE SINGER MANUFACTURING COMPANY

































24108







24079































52493



127004



127005




52492




52148




127072



127073




127074




52150



127095




127102




68350



52052



52452




127058




12391



127079



12432




4307




5596





5599




5598







127011




127066




52490



127144



127009



52146



401



52486



52487



127067




52173




52247




52176




127156




52187



52191



52195




127187



52193



127091



1259



52170




12361



52203





20115




24983






225451



201282 2012104



225462





201196



201222





CONTENTS

	Page
Parts, complete, for 95K40 Machine	65
" special to 95K41 Machine	72
" " " 95K60 "	73
Accessories	77
Attachments	81
Bobbin Winders	78
Iron Base	77
Knee Lifter	91
Numerical List of Parts	93
Spool Holder	77
Thread Unwinder	92

INSTRUCTIONS FOR ORDERING

In ordering from this List, the prefix and affix letters with the part number **MUST BE** quoted exactly as they are shown in the first column.

A number always indicates the same part in whatever List it may appear, or for whatever machine.

The affix letters (where shown) indicate the style of finish, as follows:—

- A. Hardened, Polished, Nickel Plated and Buffed.
- A.A. Buffed and Chromium Plated.
- A.B. Hardened, Polished, Buffed and Chromium Plated.
- A.C. Brown Baking Enamel Finish.
- A.D. Grey Baking Enamel Finish.
- A.E. Hardened, Bright Rumbled and Nickel Plated.
- A.F. Hardened, Bright Rumbled and Nickel Plated, Bright Rumbled and Chromium Plated.
- A.L. Heat Treated for Toughness.
- B. Polished, Nickel Plated and Buffed.
- C. Hardened only.
- C.R. Hardened and Merlized.
- D. Polished only.
- E. Soft, not Polished.
- F. Hardened and Polished.
- F.J. Hardened, Polished and Nickel Plated.
- G. Bright Rumbled and Nickel Plated.
- H. Blued.
- J. Nickel Plated only.
- K. Hardened and Nickel Plated.
- L. Brass Plated.
- M. Oxidized.
- N. Japanned, Dull.
- P. Japanned, Bright.
- P.P. Wrinkle Finish.
- R. Merlized.
- S. Cadmium Plated.
- T. Copper Plated.
- T.A. Hardened, Polished, Copper and Nickel Plated and Buffed.
- T.B. Copper and Nickel Plated and Polished.
- T.J. Copper and Nickel Plated only.
- T.K. Hardened, Copper and Nickel Plated.
- T.L. Copper and Brass Plated.
- T.M. Copper Plated and Oxidized.
- U. Zinc Plated.
- V. Silver Plated.
- W. Polished and Nickel Plated.
- X. Black Oxide for Iron and Steel.
- X.C. Hardened and Black Oxide for Iron and Steel.
- Y. Black Nickel Plated only.
- Z. Chromium Plated.
- Z.A. Hardened, Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.B. Polished, Nickel Plated, Buffed and Chromium Plated.
- Z.C. Hardened and Chromium Plated.
- Z.D. Polished and Chromium Plated.
- Z.G. Bright Rumbled, Nickel Plated, Bright Rumbled and Chromium Plated.
- Z.J. Nickel and Chromium Plated.
- Z.T. Copper and Chromium Plated.

Parts marked with an asterisk (*) are furnished only when the repairs are made at Factory.

PARTS COMPLETE FOR No. 95K40 Machine

For Light and Medium Weight Fabrics, Maximum Stitch 7 to the inch.
Drop Feed. Knee Lifter.

No.	Plate	
*52226	—	Arm with 15404, two each 15405 and 56015

NOTE.—Due to the accuracy required for gear alignment, Arm cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.

16532	2005	Arm Dowel Pin (2)	...	...	...	...
52182	2066	" Oil Tube, with 52184, for oiling 52205	...	...	...	...
52183	2064	" " " " 52184, " " 52024, for 127193 and 150460	...	...	...	...
52180	2066	" " " (long), with 52184, for oiling 52022	...	...	...	...
52185	2066	" " " (short), " 42367, " " 52022	...	...	...	...
127187	2382	" " " with 42367, for oiling 127152, for 127193 and 150460	...	...	...	...
52148	2010	" " " ...	...	...	...	...
52149	—	" " " 52148, with 52150, for oiling 127072 and 127074	...	...	...	...
56015	2005	" " " for oiling 127058 (2)	...	...	...	...
52150	2010	" " " Packing (braided cotton) for 52149	...	...	...	...
42367	2064	" " " " (" ") " 52185 and 127187	...	...	...	...
52184	2064	" " " " (cotton wick) for 52180, 52182, 52183, and 127133	...	...	...	...
116c	1324	" Screw (back) (2)	...	...	...	...
868c	2008	" " (front) (2)	...	...	...	...
52141	2004	Arm Shaft (horizontal)	...	...	...	...
99547	—	" " (") 52141 with 52246	...	...	...	...
127072	2010	" " (") Bevel Gear with two 1036c	...	...	...	...
127070	2009	" " (") " " Case (two pieces) with 121c	...	...	...	...
121c	1324	" " (") " " " Screw	...	...	...	...
1036c	969	" " (") " " Set Screw	...	...	...	...
52191	2382	" " (") Flanged Bushing (back)	...	...	...	...
52192	—	" " (") " " (") 52191 with 52193 and 52194	...	...	...	...
52193	2382	" " (") " " (") Oil Pad (braided cotton)	...	...	...	...
52194	2064	" " (") " " (") Oil Pad (felt)	...	...	...	...
446c	1324	" " (") " " (") Set Screw	...	...	...	...
52195	2382	" " (") " " (front)	...	...	...	...

No.	Plate	
52196	—	Arm Shaft (horizontal) Flanged Bushing (front) 52195 with 52193 and 52198
52198	2064	" " (") " " (") Oil Pad (felt)
52193	2382	" " (") " " (") Oil Pad (braided cotton)
435c	1324	" " (") " " (") Set Screw ...
68350	2010	" " (") Front Bearing Oil Cup (spring lid) ...
144d	1324	" " (") Screw ...
127058	2028	" " (upright) ...
127073	2010	" " (") Bevel Gear (lower) with two 1259c ...
1259c	2382	" " (") " " (") Set Screw ...
127074	2010	" " (") " " (upper) with two 1259c ...
1259c	2382	" " (") " " (") Set Screw ...
52492	2010	" " (") Bushing (lower) ...
432c	1324	" " (") " " (") Set Screw ...
52493	2010	" " (") " " (upper) ...
435c	1324	" " (") " " (") Set Screw ...
127146	2066	" Side Cap ...
219d	1324	" " " Screw ...
127079	2028	" " Cover ...
50053d	2008	" " " Thumb Screw ...
52239	2064	" Spool Pin and Thread Eyelet ...
8879	980	" " " Washer (cloth) ...
127192	2064	Arm Top Cover ...
127193	2064	" " " 127192 with 52183, 52239, 127187 and 127255
127255	2383	" " " Positioning Disc ...
158j	1324	" " " Screw ...
150459	2064	" " " Tension Bracket with 460c ...
158j	1324	" " " " " Screw ...
52239	2064	" " " " " Spool Pin ...
8879	980	" " " " " " Washer (cloth) ...
2455	2006	" " " " " Disc ...
41593	1316	" " " " " Spring ...
41594	1316	" " " " " Stud ...
460c	1324	" " " " " Set Screw ...
41595	1316	" " " " " Thread Guide ...
150460	2064	Arm Top Cover Tension Bracket , complete, Nos. 41593 to 41595, 52183, 52239, 127187, 127255, 150459 and two 2455

NOTE.—No. 150460 is supplied with this machine unless No. 127193 is specified on order.

52187	2381	Balance Wheel (power, disc), 2 $\frac{3}{16}$ " pulley, with two 448c ...
52081	—	" " (stand, heavy rim), 2 $\frac{11}{16}$ " pulley, with two 448c ...
52063	2004	" " Oil Cover ...

NOTE.—No. 52187 is supplied with this machine unless No. 52081 is specified on order.

No.	Plate	
210d	1324	Balance Wheel Oil Cover Screw ...
448c	1324	" " Set Screw ...
*52154	—	Bed ...
NOTE.—Due to the accuracy required for gear alignment, Bed cannot be supplied separately and can only be sent out as a unit, Arm and Bed assembled.		
12431	—	Bed Slide ...
12432	2028	" " complete, Nos. 4307, 12431 and two 725e ...
4307	2028	" " Spring ...
725e	1324	" " " Screw ...
52051	—	Face Plate ...
52052	2028	" " complete, Nos. 52051, 52053, 52170 and two 226d ...
176d	559	" " Screw ...
52053	2005	" " Thread Guard (lower) ...
226d	1324	" " " (") Screw ...
52170	2382	" " " (upper) ...
226d	1324	" " " (") Screw ...
50190d	2008	" " Thumb Screw ...
52452	2028	Feed Bar ...
313c	1324	" " Screw Centre (2) ...
1519c	2008	" " " " Nut (2) ...
52165	2066	Feed Connecting Link ...
375c	1324	" " " " Hinge Screw ...
1518c	2008	" " " " " Nut ...
52073	2006	" " " " " Stud ...
50083c	2008	" " " " " Set Screw ...
52031	967	Feed Dog for shirt work ...
20115	2382	" " " collar and cuff work (16 teeth to the inch, 7 teeth front and 5 back of needle)
50117c	2008	" " Screw (2) ...
NOTE.—No. 52031 is sent with this machine unless another Feed Dog is specified on order.		
52218	2383	Feed and Feed Lifting Eccentric with 448c, 1299c, 52210 and 52211
52231	—	" " " " " 52218 with 127152 ...
52210	—	" " " " " Lubricating Pad (wood, long)
52211	—	" " " " " " (" short)
1299c	2008	" " " " " Position Screw ...
448c	1324	" " " " " Set Screw ...
127152	2066	" " " " " Sleeve ...

No.	Plate								
24037	2004	Feed Forked Connection							
52085	—	"	"	"	"	24037 with 375c, 1518e and 52165	...	...	...
375c	1324	"	"	"	"	Hinge Screw	...	...	...
1518e	2008	"	"	"	"	" " Nut	...	...	...
52065	2004	Feed Lifting Rock Shaft							
52066	—	"	"	"	"	complete, Nos. 12376 and 52065	...	...	...
127156	2381	"	"	"	"	Connecting Rod with 127157 and two 966e	...	...	...
*127157	—	"	"	"	"	" " Cap	...	...	...
966e	2008	"	"	"	"	" " Screw	...	...	...
375c	1324	"	"	"	"	" " Hinge Screw	...	...	...
1518e	2008	"	"	"	"	" " " Nut	...	...	...
12376	2006	"	"	"	"	Crank with 157c and 1813	...	...	...
157c	1324	"	"	"	"	" Clamping Screw	...	...	...
1813	2006	"	"	"	"	" Roller and Stud	...	...	...
50191c	2008	"	"	"	"	Screw Centre (2)	...	...	...
1513j	1317	"	"	"	"	" " Nut (2)	...	...	...
52074	2005	Feed Regulator with 50083c							
52118	—	"	"	"	"	52074 with 52073	...	...	...
52093	—	"	"	"	"	52118 with 818d	...	...	...
1128e	2008	"	"	"	"	Hinge Screw	...	...	...
818d	2008	"	"	"	"	Thumb Screw	...	...	...
52068	2004	Feed Rock Shaft							
52069	—	"	"	"	"	complete, Nos. 29633 and 52068	...	...	...
29633	2006	"	"	"	"	Crank with 157c	...	...	...
157c	1324	"	"	"	"	" Clamping Screw	...	...	...
50191c	2008	"	"	"	"	Screw Centre (2)	...	...	...
1513j	1317	"	"	"	"	" Nut (2)	...	...	...
25878	1319	Guide							
50190b	2008	"	"	"	"	Thumb Screw	...	...	...
52155	2009	Needle Bar (hollow) with 857c							
52199	2383	"	"	"	"	Bushing (lower)	...	...	...
1133c	969	"	"	"	"	(") Set Screw	...	...	...
52014	969	"	"	"	"	(upper)	...	...	...
1133c	969	"	"	"	"	(") Set Screw	...	...	...
*52205	2066	"	"	"	"	Connecting Link with 52207	...	...	...
52206	—	"	"	"	"	52205 with 24041	...	...	...
775e	969	"	"	"	"	" Cap Screw	...	...	...
52207	—	"	"	"	"	" Lubricating Pad (wood)	...	...	...
24041	2066	"	"	"	"	Stud with 207e	...	...	...
207e	558	"	"	"	"	" Clamping Screw	...	...	...
52246	2383	"	"	"	"	Crank with 1036c, 1037c and 1065c	...	...	...
1065c	2008	"	"	"	"	Position Screw	...	...	...
857c	969	"	"	"	"	Set Screw	...	...	...

No.	Plate								
*52201	2064	Oil Absorbent Wick							
52202	2064	"	"	"	"	52201 with 52203, for lower cavity in head of arm	...	...	...
*52203	2382	"	"	"	"	Wire	...	...	...
127133	2383	Oil Tube , with 52184							
127091	2382	"	"	"	"	Bracket	...	...	...
52167	—	"	"	"	"	127091, with 127133, for oiling 52165	...	...	...
12391	2028	Presser Bar (hollow)							
52338	1316	"	"	"	"	Guide Bracket with 223c and 453c	...	...	...
453c	1316	"	"	"	"	Set Screw	...	...	...
52016	1316	"	"	"	"	Lifter	...	...	...
689c	1316	"	"	"	"	Screw	...	...	...
1520r	1317	"	"	"	"	" Nut	...	...	...
12327	1316	"	"	"	"	Lifting and Releasing Lever Bracket	...	...	...
127108	2009	"	"	"	"	Spring	...	...	...
11170	1316	"	"	"	"	Washer	...	...	...
62527	—	Presser Foot Hinge Pin							
24544	—	"	"	"	"	Plate	...	...	...
24982	—	"	"	"	"	Shank	...	...	...
26231	2006	"	"	"	"	Spring	...	...	...
24983	2382	Presser Foot (spring hinged), complete, Nos. 24544, 24982, 26231 and 62527, for 52031							
52188	2383	"	"	"	"	(solid) for cuff work, for 20115	...	...	...
52189	2383	"	"	"	"	(") collar work, for 20115	...	...	...
190d	1324	"	"	"	"	Screw	...	...	...
NOTE.—No. 24983 is sent with this machine unless another Presser Foot is specified on order.									
688j	1324	Pressure Regulating Thumb Screw							
127095	2010	Rotating Hook with three 1253c							
127096	—	"	"	"	"	127095 with 127102 and four 1053c	...	...	...
*127239	—	"	"	"	"	127096 " 40274, 127242 and three 1367d	...	...	...
127240	—	"	"	"	"	127239 " 52237	...	...	...
127097	—	"	"	"	"	127096 " 40274 and three 1367d (for agents only)	...	...	...
40264	2006	"	"	"	"	Bobbin	...	...	...
52235	—	"	"	"	"	Case	...	...	...
52236	—	"	"	"	"	52235 with 591f, 1380d and 40391	...	...	...
40393	—	"	"	"	"	Hinge, Nos. 2974, 40392 and 125320	...	...	...
127242	2383	"	"	"	"	Holder	...	...	...
52018	2006	"	"	"	"	" Position Bracket	...	...	...
704j	1324	"	"	"	"	" " " " " " " " Screw	...	...	...

No. 95K40 MACHINE PARTS

No.	Plate								
40392	2006	Rotating Hook	Bobbin Case	Latch	...	...	...	...	...
125320	2066	"	"	"	"	"	Lever	...	...
2974	2006	"	"	"	"	"	"	Fulcrum Pin	...
2975	2006	"	"	"	"	"	"	Spring	...
592e	1324	"	"	"	"	"	"	Stop Screw	...
591f	1324	"	"	"	"	"	"	Tension Regulating Screw	...
40394	2006	"	"	"	"	"	"	Spring	...
1380d	2008	"	"	"	"	"	"	Screw	...
52237	2006	"	"	"	"	"	complete, Nos. 592e, 2975, 40393	and 52236	...
127241	—	"	"	"	"	"	52237 with 127242 (for agents only)		...
40274	2006	"	"	"	"	"	Section	...	...
1367d	2008	"	"	"	"	"	Screw	...	...
1253c	2008	"	"	"	"	"	Set Screw	...	...
52156	2009	"	"	"	"	"	Shaft	...	...
127073	2010	"	"	"	"	"	Bevel Gear with two 1259e	...	...
127007	2009	"	"	"	"	"	Case (two pieces) with 121e	and 50234d	...
50234d	2008	"	"	"	"	"	"	Plug Screw	...
121e	1324	"	"	"	"	"	"	Screw	...
1259c	2382	"	"	"	"	"	"	Set Screw	...
127004	2010	"	"	"	"	"	Bushing (back)	...	...
127043	—	"	"	"	"	"	(") 127004 with 52045	...	...
52045	2006	"	"	"	"	"	(") Packing (cotton)	...	...
1143c	2008	"	"	"	"	"	(") Set Screw	...	...
127005	2010	"	"	"	"	"	(front)	...	...
127044	—	"	"	"	"	"	(") 127005 with 52045	...	...
142008	2383	"	"	"	"	"	(") Oil Cup	...	...
52045	2006	"	"	"	"	"	(") Packing (cotton)	...	...
1148c	2008	"	"	"	"	"	(") Set Screw	...	...
127102	2010	"	"	"	"	"	Thread Guard	...	...
1053e	2008	"	"	"	"	"	Screw	...	...
52337	1316	Slack Thread Regulator					...	...	...
223c	1316	"	"	"	"	"	Set Screw	...	...
2102	2006	Tension Disc	...	...	...	...	...	...	...
1560c	2008	"	"	"	"	"	Regulating Thumb Nut	...	...
32572	2006	"	"	"	"	"	Releasing Disc	...	...
43944	1316	"	"	"	"	"	Lever	...	...
12398	1316	"	"	"	"	"	Hinge Pin	...	...
12329	1316	"	"	"	"	"	Spring	...	...
32574	2006	"	"	"	"	"	Pin	...	...
13710	2006	"	"	"	"	"	Spring	...	...
50304c	2006	"	"	"	"	"	Stud	...	...
50305c	2008	"	"	"	"	"	Set Screw	...	...
52092	—	Tension, complete, Nos. 1560c, 13710, 32572, 32574, 50304c,							
		52082, 52083 and two 2102							

No.	Plate						
52171	2383	Thread Eyelet for 52199	...	...	...	...	...
52027	2006	Thread Guard (side of arm)	...	...	...	...	...
52454	2005	" Retainer	...	...	...	...	...
624c	2008	" " Set Screw	...	...	...	...	...
52215	—	Thread Take-up , complete, Nos. 11204, 52025 and 52217	...	...	...	...	...
52216	2383	Thread Take-up Crank	...	...	...	...	...
52217	—	" " " 52216 with 775c and 52206	...	...	...	...	...
1037c	969	" " " Position Screw	...	...	...	...	...
1036c	969	" " " Set Screw	...	...	...	...	...
52022	969	Thread Take-up Lever with 52130	...	...	...	...	...
52023	969	" " " Hinge Pin	...	...	...	...	...
52024	969	" " " Link	...	...	...	...	...
11204	969	" " " " Hinge Pin	...	...	...	...	...
435c	1324	" " " " " " Set Screw	...	...	...	...	...
52130	—	" " " Thread Eyelet Bushing	...	...	...	...	...
52025	—	Thread Take-up Lever , complete, Nos. 52022 to 52024	...	...	...	...	...
52082	2006	Thread Take-up Spring	...	...	...	...	...
52083	2006	" " " Regulator with 50305c	...	...	...	...	...
448c	1324	" " " " Set Screw	...	...	...	...	...
52032	—	Throat Plate , large needle hole, for 52031	...	...	...	...	...
52033	967	" " small " " " 52031	...	...	...	...	...
52190	2383	" " for 20115	...	...	...	...	...
691f	1324	" " Screw (2)	...	...	...	...	...
<i>NOTE.—No. 52033 is sent with this machine unless another Throat Plate is specified on order.</i>							
*15404	—	Trade Mark	...	...	...	...	...
15405	—	" " Rivet	...	...	...	...	...
24079	983	Drip Pan , with four wood screws $\frac{1}{8}$ " No. 5	...	...	...	...	...

PARTS SPECIAL TO No. 95K41 Machine

**For Collar and Cuff Work, Maximum Stitch 7 to the inch. Drop Feed.
Knee Lifter.**

This Machine is the same as 95K40 with the following exceptions:—

No.	Plate	Feed Dog, $\frac{1}{16}$ " stitch	...	...	...	...
20163	968	...	...	...	...	...
20164	968	" " $\frac{1}{8}$ "	...	...	...	...

NOTE.—No. 20164 is sent with this machine unless other Feed Dog is specified on order.

21351	2384	Feed Regulator Thumb Screw Stop	...	...	...
25873	985	Guide (combination)	...	...	...
3146	2006	" Thumb Screw Washer	...	...	...
12435	973	Presser Foot with 228d	...	...	...

NOTE.—No. 12435 is sent with this machine unless another Presser Foot is specified on order.

†12462	1519	Presser Foot , $\frac{3}{16}$ " gauge and above	...	...	...
12463	1519	" " with Strip Guide	...	...	...
12335	973	" " (narrow)	...	...	...
26276	2005	" " Hinge Pin	...	...	...
20133	—	" " Plate	...	...	...
19223	—	" " Shank	...	...	...
†20134	1519	Presser Foot (hinged), complete, for $\frac{3}{16}$ " gauge and above, Nos. 19223, 20133 and 26276	...	...	...
20155	—	Presser Foot Plate	...	...	...
20156	—	" " Shank	...	...	...
20157	973	Presser Foot (hinged), complete, Nos. 228d, 20155, 20156 and 62527	...	...	...
20343	973	Presser Foot with guide on bottom to the right of needle hole	...	...	...
20360	—	Presser Foot Plate	...	...	...
19335	—	" " Shank	...	...	...
20361	1519	Presser Foot (hinged, plain bottom), complete, Nos. 19335, 20360 and 26276	...	...	...
36574	2005	Presser Foot	...	...	...
36575	2005	" " 36574, with 36576 and two 50202d	...	...	...
36576	2005	" " Finger Guard	...	...	...
50202d	2008	" " " " Screw	...	...	...
20123	968	Throat Plate for 20163 and 20164	...	...	...

† *NOTE.—When ordering state width of turned edge from seam.*

PARTS SPECIAL TO No. 95K60 Machine

**For Light and Medium Weight Fabrics, Maximum Stitch 8 to the inch.
Drop Feed. Knee Lifter.**

This machine is the same as 95K40 with the following exceptions:—

*52228	—	Arm with 15404, two each 15405 and 56015	...	...	...
52173	2312	Arm Shaft (horizontal) with 127067	...	...	...
52204	—	" " (") 52173 with 52214	...	...	...
54897	2005	" " (") Back Bearing Oil Cup (ball type)	...	...	...
52146	2311	" " (") " " Pad (braided cotton)	...	...	...
127011	2311	" " (") Ball-bearing (back)	...	...	...
*127143	—	" " (") " (") Cover	...	...	...
127144	2311	" " (") " (") " 127143 with 127145	...	...	...
*127145	—	" " (") " (") " Oil Lead	...	...	...
219j	1324	" " (") " (") " Screw	...	...	...
52486	2311	" " (") " (") Locking Pin	...	...	...
52487	2311	" " (") " (") " Cone	...	...	...
446c	1324	" " (") " (") " " Screw	...	...	...
127066	2311	" " (") " (front)	...	...	...
127009	2311	" " (") " (") Cover	...	...	...
401c	2311	" " (") " (") " Screw	...	...	...
127067	2311	" " (") " (") Key	...	...	...
52490	2311	" " (") Flanged Bushing (back)	...	...	...
448c	1324	" " (") " (") Set Screw	...	...	...
54897	2005	" " (") Front Bearing Oil Cup (ball type)	...	...	...
52146	2311	" " (") " " " Pad (braided cotton)	...	...	...
52176	2312	Balance Wheel (power), 2 $\frac{3}{16}$ " pulley, with two 448c	...	...	...
52247	2312	Needle Bar Crank with 1036c, 1037c and 1065c	...	...	...
52214	—	" " " 52247 with 401c and 127009	...	...	...

Iron Base

No.	Plate						
24106	980	Bed Frame Cushion (felt)	...	...	...	...	...
158e	1324	" " " Screw	...	...	...	...	...
24107	980	" " Hinge Connection	...	...	...	...	...
9261	980	" " " " Pin	...	...	...	...	...
970d	980	" " Thumb Screw	...	...	...	...	...
24108	982	Bed Frame , with 970d, two each 9261, 24107, four each 158e, 24106 and six wood screws 1½" No. 10					

Spool Holder (disc)

FOR 95K41 MACHINE

No.	Plate						
26763	200	Bracket with 219f and 922d	...	...	...	...	...
219f	1324	" Screw	...	...	...	...	...
922d	2383	" Thumb Screw	...	...	...	...	...
19066	200	Spindle	...	...	...	...	...
19067	200	" Thread Guiding Disc	...	...	...	...	...
691f	1324	" " " " Screw	...	...	...	...	...
26764	200	Spool Holder , complete, Nos. 691f, 19066, 19067 and 26763					

Accessories

No.	Plate						
40264	2006	Bobbin (5)	...	...	...	...	...
12361	2382	Machine Hinge Connection (2)	...	...	...	...	...
36569	1319	Oiler	...	...	...	...	...
25537	1319	Screw Driver (large)	...	...	...	...	...
120378	1319	" " (small)	...	...	...	...	...

Bobbin Winders

BOBBIN WINDER (swinging automatic, left hand) for 40264

No.	Plate								
41913	2007	Bracket with 457c	...	...	...	...	...	...	...
41583	2007	Frame with 457c	...	...	...	...	...	...	...
34105	2007	" Hinge Pin	...	...	...	...	...	...	...
457c	1324	" " " Set Screw	...	...	...	...	...	...	...
41914	2007	" Spring	...	...	...	...	...	...	...
41585	2007	Pulley with 171d	...	...	...	...	...	...	...
171d	1324	" Set Screw	...	...	...	...	...	...	...
41586	2007	Spindle	...	...	...	...	...	...	...
41587	2007	Stop Latch	...	...	...	...	...	...	...
42614	2007	" " Hinge Stud	...	...	...	...	...	...	...
457c	1324	" " " Set Screw	...	...	...	...	...	...	...
7958	2006	" " Stop Pin	...	...	...	...	...	...	...
41588	2007	" " Tripping Arm with 185h	...	...	...	...	...	...	...
185h	1324	" " " Clamping Screw	...	...	...	...	...	...	...
60845	2007	Bobbin Winder, Nos. 7958, 34105, 41583, 41585 to 41588, 41913, 41914 and 42614	...	...	...	...	...	...	...
41915	—	Bobbin Winder , complete, Nos. 880e, 25446 and 60845	...	...	...	...	...	...	...
880e	2008	" " Screw	...	...	...	...	...	...	...
25446	2005	" " Washer	...	...	...	...	...	...	...

This Bobbin Winder is sent with machine unless otherwise specified on order.

BOBBIN WINDER (swinging automatic, right hand) for use with Individual Motor

Arm Top Cover Tension Bracket No. 127193 is supplied in place of No. 150160 when this Bobbin Winder is fitted to machine.

No.	Plate								
41339	1687	Base	...	...	...	...	...	...	...
41340	1687	Frame	...	...	...	...	...	...	...
1429d	1688	" Hinge Screw	...	...	...	...	...	...	...
41341	1687	" Spring	...	...	...	...	...	...	...
207d	558	" " Screw	...	...	...	...	...	...	...
41342	1687	Pulley with 200f	...	...	...	...	...	...	...
200f	1688	" Set Screw	...	...	...	...	...	...	...
41313	1688	Spindle	...	...	...	...	...	...	...
27306	1688	Spool Pin	...	...	...	...	...	...	...
27307	1687	" Stand	...	...	...	...	...	...	...
†27308	1687	" " complete, Nos. 418e, 1562j, 2106, 10141, 11241, 27306, 27307, two each 2455 and wood screws 1" No. 10	...	...	...	...	...	...	...
11241	1687	Spool Washer (cloth)	...	...	...	...	...	...	...
41344	1688	Stop Latch	...	...	...	...	...	...	...
41345	1688	" " Finger	...	...	...	...	...	...	...
152f	1688	" " " Screw	...	...	...	...	...	...	...
1430d	1688	" " Hinge Screw	...	...	...	...	...	...	...
1550h	1688	" " " Nut	...	...	...	...	...	...	...
41346	1688	" " Lever	...	...	...	...	...	...	...
1430d	1688	" " " Hinge Screw	...	...	...	...	...	...	...
2455	1688	Tension Disc	...	...	...	...	...	...	...
1562j	1688	" Regulating Thumb Nut	...	...	...	...	...	...	...
418e	1688	" Screw Stud	...	...	...	...	...	...	...
10141	1688	" Spring	...	...	...	...	...	...	...
2106	1688	" Thread Guide	...	...	...	...	...	...	...
60456	—	Bobbin Winder, Nos. 152f, 207d, 1429d, 1550h, 41339 to 41346 and three 1430d	...	...	...	...	...	...	...
41347	1687	Bobbin Winder, 60456, with two each 9331 and wood screws 1" No. 10 R.H.B.	...	...	...	...	...	...	...
41348	—	Bobbin Winder (swinging automatic, right hand), complete, Nos. 27308 and 41347	...	...	...	...	...	...	...
—	—	Bobbin Winder Screw (wood) 1" No. 10 R.H.B.	...	...	...	...	...	...	...
9331	1688	" " Washer	...	...	...	...	...	...	...

†As No. 27308 can be supplied either Plated or Japanned, it is necessary, when ordering, to state which is required.

BOBBIN WINDER (swinging automatic, right hand), for machines when used on Power Table

Arm Top Cover Tension Bracket No. 127193 is supplied in place of No. 150460 when this Bobbin Winder is fitted to machine.

No.	Plate						
225433	10885	Bobbin Winder and Tension Bracket Base	...	...	...	...	...
225453	10884	Frame with 202277 and 225438	...	...	...	...	...
225454	10884	" Hinge Pin	...	...	...	...	...
202277	2383	" Oil Packing (wick)	...	...	...	...	...
225438	10884	" " Well Cap	...	...	...	...	...
225455	10884	" Spring	...	...	...	...	...
225456	10884	" " Plunger	...	...	...	...	...
202473	10885	Pulley with 200380c	...	...	...	...	...
200380c	2383	" Set Screw	...	...	...	...	...
225381	10884	Spindle	...	...	...	...	...
225444	10884	Stop Latch	...	...	...	...	...
200056e	10884	" " Screw	...	...	...	...	...
225458	10884	" " Thumb Lever	...	...	...	...	...
225459	10884	" " " " Hinge Stud	...	...	...	...	...
225459	10884	" " " " Joint Stud	...	...	...	...	...
202478	10884	" " Trip Lever	...	...	...	...	...
200299h	10884	" " " " Hinge Screw	...	...	...	...	...
225461	10881	Tension Bracket with 201499j	...	...	...	...	...
200082d	10881	" " Screw	...	...	...	...	...
228026	10884	" " " Washer	...	...	...	...	...
2102	2006	" Disc	...	...	...	...	...
13710	2006	" Spring	...	...	...	...	...
201499j	10881	" Stud	...	...	...	...	...
201572j	10881	" " Thumb Nut	...	...	...	...	...
225462	10881	Tension Bracket, complete, Nos. 13710, 201572j, 225461 and two 2102	...	...	...	...	...
225382	10885	Bobbin Winder, complete, Nos. 200056e, 200082d, 200299h, 202473, 202478, 225381, 225433, 225444, 225453 to 225456, 225458, 225462, 228026, two each 225459 and wood screws $\frac{3}{4}$ " No. 12 R.H.B.	...	...	...	...	...

Attachments

When ordering Binders send sample of the binding and of the material to be bound.

BINDER for Cap Peak Work

No.	Plate						
85678	559	Feed Dog	...	...	...	...	...
85459	559	Folder Base	...	...	...	...	...
85460	559	" (top)	...	...	...	...	...
207d	558	" (") Binding Screw	...	...	...	...	...
85461	—	" (bottom)	...	...	...	...	...
SS50d	186	" (") Binding Screw	...	...	...	...	...
85462	559	" Roller Guide, Nos. 701d, 85463 and 85464	...	...	...	...	...
SS50d	186	" " " Binding Screw	...	...	...	...	...
85463	—	" " " Bracket	...	...	...	...	...
85464	—	" " " Roller	...	...	...	...	...
701d	1324	" " " " Screw	...	...	...	...	...
176d	559	" Screw (to fasten to machine)	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...

85458	559	Folder, complete, Nos. 85459 to 85462, two 207d and four SS50d	...	...	...	...	...
85679	559	Presser Foot	...	...	...	...	...
85680	559	Throat Plate	...	...	...	...	...
85681	559	Binder, complete, Nos. 85458, 85678 to 85680, two each 176d and 85325	...	...	...	...	...

BINDER for Cardigan Jackets

No.	Plate						
85682	558	Feed Dog	...	...	...	...	...
85336	—	Folder Base	...	...	...	...	...
85337	—	" Folding Plate (top)	...	...	...	...	...
85338	—	" " " (bottom)	...	...	...	...	...
233d	1324	" " " Screw for 85337 and 85338	...	...	...	...	...
SS50d	186	" Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85335	—	Folder, complete, Nos. 85336 to 85338 and four 233d	...	...	...	...	...

No.	Plate						
85683	558	Presser Foot	...	...	...	...	...
85324	—	Tape Tension Pin (bent)	...	...	...	...	...
85323	—	" " " (straight)	...	...	...	...	...
85340	—	" " Plate	...	...	...	...	...
85339	558	" " complete, Nos. 85324, 85340 and four 85323	...	...	...	...	...
207d	558	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85684	558	Throat Plate	...	...	...	...	...
85685	558	Binder , complete, Nos. SS50d, 207d, 85335, 85339, 85682 to 85684 and two 85325	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for General Work

No.	Plate						
85686	558	Feed Dog	...	...	...	...	...
85320	558	Folder	...	...	...	...	...
SS50d	186	" Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85687	—	Presser Foot Bracket	...	...	...	...	...
85688	—	" " " Hinge Pin	...	...	...	...	...
85689	—	" " Sole	...	...	...	...	...
85690	558	" " (hinged), complete, Nos. 85687 to 85689	...	...	...	...	...
85324	—	Tape Tension Pin (bent)	...	...	...	...	...
85323	—	" " " (straight)	...	...	...	...	...
85322	—	" " Plate	...	...	...	...	...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323	...	...	...	...	...
SS50d	186	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85691	558	Throat Plate	...	...	...	...	...
85692	558	Binder , complete, Nos. 85320, 85321, 85686, 85690, 85691, two each SS50d and 85325	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for Stay Work

No.	Plate						
85693	557	Feed Dog	...	...	...	...	...
85614	—	Folder	...	...	...	...	...
SS65d	1324	" Screw	...	...	...	...	...
85694	—	Presser Foot Bracket	...	...	...	...	...
85616	—	" " " Hinge Pin	...	...	...	...	...
85695	—	" " Sole	...	...	...	...	...
85696	557	" " (hinged), complete, Nos. 85616, 85694 and 85695	...	...	...	...	...
85324	—	Tape Tension Pin (bent)	...	...	...	...	...
85323	—	" " " (straight)	...	...	...	...	...
85322	—	" " Plate	...	...	...	...	...
85321	557	" " complete, Nos. 85322, 85324 and eight 85323	...	...	...	...	...
SS50d	186	" " Screw	...	...	...	...	...
85325	186	" " " Washer	...	...	...	...	...
85697	557	Throat Plate	...	...	...	...	...
85698	557	Binder , complete, Nos. SS50d, SS65d, 85321, 85325, 85614, 85693, 85696 and 85697	...	...	...	...	...

BINDER, $\frac{1}{2}$ ", for Stay Work

No.	Plate						
85699	186	Base	...	...	...	...	...
85597	186	Binder	...	...	...	...	...
85324	—	Tape Tension Pin (bent)	...	...	...	...	...
85323	—	" " " (straight)	...	...	...	...	...
85700	186	Binder and Tension only, complete, Nos. 85324, 85597, 85699 and nine 85323	...	...	...	...	...
SS50d	186	" " Screw	...	...	...	...	...
85325	186	" " Washer	...	...	...	...	...
85701	186	Feed Dog	...	...	...	...	...
85702	—	Presser Foot Bracket	...	...	...	...	...
85703	—	" " " Hinge Pin	...	...	...	...	...
85704	—	" " Sole	...	...	...	...	...
85705	186	" " (hinged), complete, Nos. 85702 to 85704	...	...	...	...	...
85706	186	Throat Plate	...	...	...	...	...
85707	186	Binder , complete, Nos. SS50d, 85325, 85700, 85701, 85705 and 85706	...	...	...	...	...

CORDER (adjustable), for Fine Cording

No.	Plate								
85842	560	Base	...	...	...	...	...	...	...
85843	560	Finger Arm	...	...	...	...	...	...	...
85844	560	" "	Adjustable Bracket	...	...	...	...	...	...
85845	...	" "	" "	" "	Block	...	...	...	...
393c	1324	" "	" "	" "	" Screw	...	...	...	...
316e	1324	" "	" "	" "	Screw Centre	...	...	...	...
1547d	2008	" "	" "	" "	" " Nut	...	...	...	...
NN41d	2608	" "	" "	" "	Thumb Nut	...	...	...	...
50053d	2008	" "	" "	" "	" Set Screw	...	...	...	...
85846	560	Corder only, complete, Nos. NN41d, 393c, 50053d, 85842 to 85845, two each 316e and 1547d							
85864	560	Feed Dog	...	...	...	...	...	...	...
85865	560	Presser Foot	...	...	...	...	...	...	...
85866	560	Throat Plate	...	...	...	...	...	...	...
85867	560	Corder, complete, Nos. SS50d, 85846 and 85864 to 85866							
SS50d	186	"	Screw (to fasten to machine)	...	...	...	...	...	...

CORDER (bow), for Top Cording

[illegible]

CORDER for Top Cording

No.	Plate								
85783	—	Base	...	...	...	...	...	...	...
85871	—	Guide Finger with 85414, 85872 and two 85416	...	...	...	...	...	...	...
SS28b	1324	"	"	Adjusting Screw	...	...	...	...	...
85414	—	"	"	Eyelet	...	...	...	...	...
85413	—	"	"	Hinge Pin	...	...	...	...	...
879d	2008	"	"	Locking Thumb Screw	...	...	...	...	...
85872	—	"	"	Tip	...	...	...	...	...
85416	—	"	"	" Rivet	...	...	...	...	...
85873	200	Corder only, complete, Nos. SS28b, 879d, 85413, 85783 and 85871							
85874	200	Presser Foot	...	...	...	...	...	...	...
85875	200	Corder, complete, Nos. SS44d, 85412, 85873 and 85874							
SS44d	200	"	"	Screw (to fasten to machine)	...	...	...	...	...
85412	200	"	"	Washer	...	...	...	...	...

CORDER GUIDE (adjustable)

No.	Plate								
85382	—	Extension Guide	...	...	...	...	...	...	...
228d	1324	"	"	Screw	...	...	...	...	...
85876	—	Presser Foot	...	...	...	...	...	...	...
85877	560	Corder Guide, complete, Nos. 228d, 85382 and 85876							
85881	562	Cording and Hemming Foot							
86182	562	Cording Foot (grooved on right side)							

CRIMPING SET

No.	Plate								
85882	557	Feed Dog	...	...	...	...	...	...	...
85883	—	Presser Foot	...	...	...	...	...	...	...
85391	—	"	"	Spring	...	...	...	...	...
219d	1324	"	"	" Screw	...	...	...	...	...
85884	557	"	"	complete, Nos. 219d, 85391 and 85883	...	...	...	...	...
85885	557	Throat Plate	...	...	...	...	...	...	...
85886	557	Crimping Set, complete, Nos. 85882, 85884 and 85885							

FELLING FEET

No.	Plate								
85896	201	Felling Foot, $\frac{3}{16}$ " fell	...	...	...	...	...	...	...
85897	562	" " (steel), $\frac{3}{16}$ " fell	...	...	...	...	...	...	...

FINGER GUARD

No.	Plate								
86417	2005	Finger Guard	...	...	...	...	...	...	...
102d	1324	"	"	Binding Screw	...	...	...	...	...
86478	2005	"	"	Bracket with 207f	...	...	...	...	...
207f	558	"	"	" Screw	...	...	...	...	...
86479	2005	Finger Guard, complete, Nos. 102d, 86417 and 86478							

GATHERING FEET

No.	Plate								
85955	562	Gathering Foot	...	...	...	...	...	...	...
86193	560	"	"	(slotted)	...	...	...	...	...

HEMMERS

When ordering hemmers state width of hem in addition to the part number.

No.	Plate								
86005	88	Hemmer ($\frac{3}{16}$ " to $\frac{7}{8}$ " in grades of $\frac{1}{16}$ "	...	...	...	...	...	...	...
86008	88	" (1" to 1 $\frac{1}{4}$ " in grades of $\frac{1}{8}$ "	...	...	...	...	...	...	...
86010	88	" (1 $\frac{3}{8}$ " and 1 $\frac{1}{2}$ ")	...	...	...	...	...	...	...
85447	88	" Base with SS54e	...	...	...	...	...	...	...
SS54e	1324	"	"	Stud Screw	...	...	...	...	...
NN40d	88	"	"	"	"	Thumb Nut	...	...	...
85448	88	"	"	"	"	"	"	Washer	...
85446	—	Hemmer Base, complete, Nos. NN40d, 85447 and 85448							

HEMMER FEET

No.	Plate								
86025	562	$\frac{1}{16}$ " to $\frac{3}{32}$ " hem, in grades of $\frac{1}{32}$ "	...	...	...	...	...	...	...
86537	—	$\frac{1}{16}$ ", flat sole	...	...	...	...	...	...	...
86538	—	$\frac{3}{32}$ ", " "	...	...	...	...	...	...	...
86539	1931	$\frac{1}{8}$ ", " "	...	...	...	...	...	...	...
86540	—	$\frac{5}{32}$ ", " "	...	...	...	...	...	...	...
86541	—	$\frac{3}{16}$ ", " "	...	...	...	...	...	...	...
86542	—	$\frac{7}{32}$ ", " "	...	...	...	...	...	...	...
86543	—	$\frac{1}{4}$ ", " "	...	...	...	...	...	...	...

HEMMER FEET—Contd.

No.	Plate								
86544	—	$\frac{1}{16}$ "	flat sole, with groove	...	...	...	...	...	...
86545	—	$\frac{3}{32}$ "	" " " "	...	...	...	...	...	...
86546	1931	$\frac{1}{8}$ "	" " " "	...	...	...	...	...	...
86547	—	$\frac{5}{32}$ "	" " " "	...	...	...	...	...	...
86548	—	$\frac{3}{16}$ "	" " " "	...	...	...	...	...	...
86549	—	$\frac{7}{32}$ "	" " " "	...	...	...	...	...	...
86550	—	$\frac{1}{4}$ "	" " " "	...	...	...	...	...	...

PRESSER FOOT

No.	Plate								
86188	958	Presser Foot (narrow) for narrow tucking	...	...	...	...	...	...	...

PRESSER FOOT EXTENSIONS
for 95K41 Machine

No.	Plate								
26279	2384	Presser Foot Extension, $\frac{1}{16}$ "	...	...	...	...	...	...	...
26280	2384	" " " " $\frac{1}{8}$ "	...	...	...	...	...	...	...
26281	2384	" " " " $\frac{1}{4}$ "	...	...	...	...	...	...	...
26282	2384	" " " " $\frac{3}{8}$ "	...	...	...	...	...	...	...
26283	2384	" " " " $\frac{1}{2}$ "	...	...	...	...	...	...	...
228d	1324	" " " " Screw for 20157	...	...	...	...	...	...	...
25967	2384	" " Strip Gauge	...	...	...	...	...	...	...
228d	1324	" " " " Screw for 12435	...	...	...	...	...	...	...

QUILTER

No.	Plate								
86041	958	Clamp with 207d	...	...	...	...	...	...	...
207d	558	" Screw	...	...	...	...	...	...	...
86042	958	Rod	...	...	...	...	...	...	...
86043	958	Quilter, complete, Nos. 86041 and 86042	...	...	...	...	...	...	...

TUCKERS (long arm)

No.	Plate								
36387	1315	Space Guide	...	...	...	...	...	...	...
35510	1315	" " Base with 35512, 35514 and two 1426c	...	...	...	...	...	...	...
402d	1317	" " " Screw	...	...	...	...	...	...	...
35511	1317	" " Indicator	...	...	...	...	...	...	...

TUCKERS (long arm)—Contd.

No.	Plate								
35512	1317	Space Guide Pin	...	...	...	...	...	...	...
35513	1317	" " Stop (left)	...	...	...	...	...	...	...
35514	1317	" " " (") Guide Pin	...	...	...	...	...	...	...
1426c	1317	" " " (") Screw Stud	...	...	...	...	...	...	...
1657d	1317	" " " (") Thumb Nut	...	...	...	...	...	...	...
17718	1317	" " " (") " " Washer	...	...	...	...	...	...	...
35515	1317	" " " (right)	...	...	...	...	...	...	...
1426c	1317	" " " (") Screw Stud	...	...	...	...	...	...	...
1657d	1317	" " " (") Thumb Nut	...	...	...	...	...	...	...
17718	1317	" " " (") " " Washer	...	...	...	...	...	...	...
50053d	2008	" " Thumb Screw	...	...	...	...	...	...	...
36388	—	Space Guide, complete, Nos. 35510, 35511, 35513, 35515, 36387, 50053d, two each 1657d and 17718	...	...	...	...	...	...	...
35517	1309	Tuck Guide Arm	...	...	...	...	...	...	...
1177d	1317	" " " " Screw	...	...	...	...	...	...	...
35518	1309	" " " Base	...	...	...	...	...	...	...
50134e	1317	" " " " Screw Stud	...	...	...	...	...	...	...
36389	1309	" " " Bracket	...	...	...	...	...	...	...
307c	1317	" " " " Screw Centre	...	...	...	...	...	...	...
1513j	1317	" " " " " " Nut	...	...	...	...	...	...	...
36390	1317	" " " " Spring	...	...	...	...	...	...	...
36391	1315	" " " " " Plate	...	...	...	...	...	...	...
9d	1317	" " " " " Screw	...	...	...	...	...	...	...
423c	1317	" " " " " Stop Screw	...	...	...	...	...	...	...
1520r	1317	" " " " " " Nut	...	...	...	...	...	...	...
36392	1309	" " " " Frame	...	...	...	...	...	...	...
36393	1317	" " " " " Spring	...	...	...	...	...	...	...
1510e	1317	" " " " " " Nut	...	...	...	...	...	...	...
35524	1317	" " " " " Washer	...	...	...	...	...	...	...
803c	1317	" " " " " Stop Screw	...	...	...	...	...	...	...
1520r	1317	" " " " " " Nut	...	...	...	...	...	...	...
35511	1317	" " " Indicator	...	...	...	...	...	...	...
35525	1309	" " " Plate	...	...	...	...	...	...	...
1115f	1317	" " " Screw	...	...	...	...	...	...	...
36394	—	Tuck Guide, complete, Nos. 9d, 423c, 803c, 1510e, 35511, 35517, 35518, 35524, 35525, 36389 to 36393, 50134e, two each 307c, 1115f, 1177d, 1513j, 1520r and three wood screws $1\frac{1}{4}$ " No. 10	...	...	...	...	...	...	...
36395	—	Tucker (long arm), complete, Nos. 35528, 36388, 36394 and two 402d	...	...	...	...	...	...	...
52031	967	Feed Dog, for shirt work	...	...	...	...	...	...	...

TUCKERS (long arm)—Contd.

No.	Plate	
35528	2005	Presser Foot (wide) for 36395
40322	2005	" " (narrow) for 36395
36654	2005	" " for tucking shirt bosoms, for 36670
52032	---	Throat Plate, large needle hole, for 52031
52033	967	" " small " " " 52031
36670	---	Tucker (long arm), complete, for pin tucking, Nos. 36388, 36394, 36654 and two 402d

Knee Lifter

No.	Plate	
5596	2028	Bell Crank
5598	2028	" " 5596 with 5599, 5601 and 5735
5599	2028	" " Bracket
178e	1324	" " " Screw
5601	980	" " Hinge Pin
5735	980	" " Spring
16510	959	Lifting Lever with 448c
52028	2009	" " Connecting Rod
12416	980	" " " " " Joint
76d	1324	" " " " " Hinge Screw
1521e	2008	" " " " " Lock Nut
802d	2008	" " " Hinge Screw
12241	980	" " " Link
766d	1324	" " " " Hinge Screw
12240	980	" " " Pin
448c	1324	" " " " Set Screw
2763	959	Rock Shaft
97502	959	" " " Bracket
---	---	" " " " Screw (wood) 1" No. 10
2765	959	" " " Knee Arm
2768	---	" " " " 2765 with 2766 and 2767
2766	959	" " " " Hub with 356c
356c	1324	" " " " " Set Screw
2767	959	" " " " Plate with 356c
356c	1324	" " " " " Set Screw
6337	959	" " " Lifting Bracket with two 356c
2778	959	" " " " " Hook
356c	1324	" " " " " Set Screw
356c	1324	" " " " " Set Screw
2770	959	" " " Stop Dog with 356c
356c	1324	" " " " " Set Screw
84789	959	Rock Shaft, complete, Nos. 2763, 2768, 2770, 2778, 6337, two 97502 and four wood screws 1" No. 10
84769	---	Knee Lifter , complete, Nos. 76d, 766d, 802d, 1521e, 5598, 12240, 12241, 12416, 16510, 52028, 84789 and two 178e

Thread Unwinder

For Two Spools of Thread

No.	Plate						
225257	1621	Spool Rest with 201018c	...	...	...	...	...
150203	—	" " Cushion (felt)	...	...	...	...	...
225388	1621	" " Rod	...	...	...	...	...
200383c	2008	" " " Set Screw	...	...	...	...	...
201018c	2008	" " " Set Screw	...	...	...	...	...
202490	1621	" Stand with 200383c	...	...	...	...	...
225391	1621	Thread Guide	...	...	...	...	...
201696j	2008	" " Lock Nut	...	...	...	...	...
225326	2383	" " Position Cup	...	...	...	...	...
225324	1621	" " Rod with 208e and 225322	...	...	...	...	...
208e	2008	" " " Screw	...	...	...	...	...
225322	2383	" " " Washer	...	...	...	...	...
225258	1621	Thread Unwinder, complete, Nos. 201696j, 202490, 225257, 225324, 225326, 225388, two each 150203, 225391 and three wood screws $\frac{1}{4}$ " No. 12					
27739	—	Thread Cone (wood) for large cones			...	...	...
225390	—	" "	" "	Holder, for inverted cones	...	...	...

NOTE.—Nos. 27739 and 225390 are used with but not included in 225258.

Numerical List of Parts

No.	Plate						
9d	1317	Tucker Tuck Guide Bracket Spring Screw for 36394	...	...	...	...	...
SS28b	1324	Corder Guide Finger Adjusting Screw for 85873	...	...	...	...	...
NN40d	88	Hemmer Base Stud Screw Thumb Nut for 85446	...	...	...	...	...
NN41d	2008	Corder Finger Arm Adjustable Bracket Thumb Nut for 85846	...	...	...	...	...
SS44d	200	Corder Screw (to fasten to machine) for 85875	...	...	...	...	...
SS50d	186	Binder Folder (bottom) Binding Screw for 85458	...	...	...	...	...
SS50d	186	Binder Folder Screw for 85685 and 85692	...	...	...	...	...
SS50d	186	Binder Tape Tension Screw for 85692 and 85698	...	...	...	...	...
SS50d	186	Binder Screw for 85707 and 85713	...	...	...	...	...
SS50d	186	Binder Folder Roller Guide Binding Screw for 85458	...	...	...	...	...
SS50d	186	Corder Screw (to fasten to machine) for 85867	...	...	...	...	...
SS54e	1324	Hemmer Base Stud Screw for 85447	...	...	...	...	...
SS65d	1324	Binder Folder Screw for 85698	...	...	...	...	...
76d	1324	Knee Lifter Lifting Lever Connecting Rod Joint Hinge Screw for 84769	...	...	...	...	...
102d	1324	Finger Guard Binding Screw for 86479	...	...	...	...	...
116e	1324	Arm Screw (back)	...	...	...	...	...
121e	1324	Arm Shaft (horizontal) Bevel Gear Case Screw for 127070	...	...	...	...	...
121e	1324	Rotating Hook Shaft Bevel Gear Case Screw for 127007	...	...	...	...	...
144d	1324	Arm Shaft (horizontal) Screw	...	...	...	...	...
152f	1688	Bobbin Winder Stop Latch Finger Screw for 60456	...	...	...	...	...
157c	1324	Feed Lifting Rock Shaft Crank Clamping Screw for 12376	...	...	...	...	...
157c	1324	Feed Rock Shaft Crank Clamping Screw for 29633	...	...	...	...	...
158e	1324	Bed Frame Cushion Screw for 24108	...	...	...	...	...
158j	1324	Arm Top Cover Screw	...	...	...	...	...
158j	1324	Arm Top Cover Tension Bracket Screw	...	...	...	...	...
171d	1324	Bobbin Winder Pulley Set Screw for 41585	...	...	...	...	...
176d	559	Binder Folder Screw (to fasten to machine) for 85681	...	...	...	...	...
176d	559	Face Plate Screw	...	...	...	...	...
178e	1324	Knee Lifter Bell Crank Bracket Screw for 84769	...	...	...	...	...